In re Application of: Elan ZIV

Serial No.: 10/598,872 Filed: May 18, 2007

Office Action Mailing Date: October 12, 2010

Examiner: Catherine E. BURK

Group Art Unit: 3735 Attorney Docket: **34061** 

Confirmation No.: 1651

What is claimed:

1. (Currently Amended) An apparatus arranged around a central axis for treating

urinary incontinence, said apparatus being sized and shaped for human intra-vaginal

insertion, comprising:

a node rotationally symmetrically located on around the central axis;

a support section adapted for providing urethral support attached to said node;

and

an anchoring section adapted for resisting movement of said apparatus

attached to said node, when in said vagina;

wherein said node is no longer than 30% of the entire length of said apparatus

comprising said node, support section and said anchoring section together.

2. (Previously presented) An apparatus of claim 1 wherein said node is no longer

than 20% of the entire length of said apparatus for treating urinary incontinence.

3. (Previously presented) An apparatus of claim 2 wherein said node is no longer

than 15% of the entire length of said apparatus for treating urinary incontinence.

4. (Previously presented) An apparatus of claim 1 wherein said support section is

provided with at least 2 supporting arms.

5. (Previously presented) An apparatus of claim 1 wherein said anchoring section

is provided with at least 2 anchoring arms.

6. (Previously presented) An apparatus of claim 1 further comprising a cover.

In re Application of: Elan ZIV

Serial No.: 10/598,872 Filed: May 18, 2007

Office Action Mailing Date: October 12, 2010

Examiner: Catherine E. BURK

Group Art Unit: 3735 Attorney Docket: **34061** 

Confirmation No.: 1651

(Previously presented) An apparatus of claim 6, wherein said cover

substantially encapsulates said node, support section and said anchoring section.

8. (Previously presented) An apparatus of claim 1 wherein at least said support

section and said anchoring section are flexible.

9. (Previously presented) An apparatus of claim 1 wherein at least said node is

flexible.

7.

10. (Previously presented) An apparatus of claim 1 further comprising a device

displacer.

11. (Previously presented) An apparatus of claim 10 wherein said device displacer

is attached to said support section.

12. (Previously presented) An apparatus of claim 4 further comprising support

struts interlinking said supporting arms.

13. (Previously presented) An apparatus of claim 1 further comprising an

applicator adapted to insert said apparatus into a vagina.

14. (Canceled)

15. (Previously presented) An apparatus of claim 1, wherein the length of the

apparatus is 50mm or less.

16. (Previously presented) An apparatus according to claim 1, wherein said

support section is adapted for providing urethral support using a plurality of outwardly

extending arms, and comprising

In re Application of: Elan ZIV

Serial No.: 10/598,872 Filed: May 18, 2007

Office Action Mailing Date: October 12, 2010

Examiner: Catherine E. BURK

Group Art Unit: 3735 Attorney Docket: **34061** 

Confirmation No.: 1651

an extending insert adapted to increase the diameter of said support section by

outwardly urging the arms.

17. (Canceled)

18. (Previously presented) An apparatus of claim 16 further comprising a cover

configured to provide urethral support, thereby applying force on said urethra only

during an increase in intra-abdominal pressure.

19. (Previously presented) An apparatus of claim 18 wherein said cover

substantially encapsulates said support section and said extending insert.

20. (Previously presented) An apparatus of claim 16 further comprising a device

displacer.

21. (Previously presented) An apparatus of claim 20 wherein said device displacer

is attached to said support section.

22. (Previously presented) An apparatus of claim 16 further comprising an

applicator adapted to insert said apparatus into a vagina.

23. (Withdrawn) An apparatus according to claim 1, wherein said support section

comprises a plurality of arms adapted for rendering urethral support for treating

incontinence when inserted in a vagina, and comprising

an arm collapser; and

a device displacer coupled to the arm collapser which when pulled causes: a)

the arms to collapse; and b)the apparatus to displace.

In re Application of: Elan ZIV

Serial No.: 10/598,872 Filed: May 18, 2007

Office Action Mailing Date: October 12, 2010

Examiner: Catherine E. BURK

Group Art Unit: 3735 Attorney Docket: **34061** 

Confirmation No.: 1651

24. (Withdrawn) An apparatus according to claim 23 wherein said device displacer

is a string.

25. (Withdrawn) An apparatus according to claim 24 wherein said apparatus is

flexible and distorted by said string.

26. (Currently amended) A method of using an apparatus for the treatment of

urinary incontinence, comprising:

providing an apparatus arranged around a central axis for treating urinary

incontinence, said apparatus being sized and shaped for human intra-vaginal insertion,

comprising:

a node <u>rotationally symmetrically</u> located <del>on <u>around</u> the central axis;</del>

a support section adapted for providing urethral support attached to said node;

and

an anchoring section adapted for resisting movement of said apparatus

attached to said node, when in said vagina;

wherein said node is no longer than 30% of the entire length of said apparatus

comprising said node, support section and said anchoring section together;

inserting said incontinence treating apparatus; and

deploying said incontinence treating apparatus in a position to render mid-

urethral support.

27. (Previously presented) A method according to claim 26 wherein inserting is

facilitated by an applicator.

28. (Previously presented) A method according to claim 26 further comprising

removing said apparatus.

In re Application of: Elan ZIV

Serial No.: 10/598,872 Filed: May 18, 2007

Office Action Mailing Date: October 12, 2010

Examiner: Catherine E. BURK

Group Art Unit: 3735 Attorney Docket: **34061** 

Confirmation No.: 1651

29. (Previously presented) A method according to claim 28 wherein said removing

is facilitated by a device displacer.

30. (Withdrawn) An apparatus for inserting an expanding and anchoring vaginal

device having a preferred deployment location, comprising:

an enclosure for containing an intra-vaginal device according to claim 1; and

a stopper, wherein said stopper prevents over insertion and wherein said

stopper is adjustably positioned on an exterior of said enclosure.

31. (Withdrawn) An apparatus according to claim 30 further comprising a plurality

of selectable positions located on said apparatus such that, upon adjustably positioning

said stopper in one of said positions, insertion of said apparatus into said vagina up to

said stopper will result in the apparatus being in an appropriate position within said

vagina for deployment.

32. (Previously presented) An apparatus of claim 4, wherein said arms are

configured to lie on either side of a urethra.

33. (Previously presented) An apparatus of claim 4, wherein said support section

is provided with at least 4 supporting arms.

34. (Previously presented) An apparatus of claim 1, wherein said support section

defines at least one channel allowing flow of vaginal secretions past said apparatus.

35. (Currently Amended) An apparatus of claim 1, wherein said length of said

apparatus and said sizes of said support section and anchoring section are configured

to provide mid-urethral support to a urethra.

In re Application of: Elan ZIV

Serial No.: 10/598,872 Filed: May 18, 2007

Office Action Mailing Date: October 12, 2010

Examiner: Catherine E. BURK

Group Art Unit: 3735 Attorney Docket: **34061** Confirmation No.: 1651

36. (Previously presented) An apparatus of claim 1, wherein said support section has a first maximal diameter and said node has a second maximal diameter and said anchor section has a third maximal diameter and wherein the first maximal diameter and the third maximal diameters are greater than the second maximal diameter.

37. (Previously presented) A method according to claim 26, wherein deploying comprises not applying enough pressure to said vagina to cause discomfort or to block said urethra absent an increase in intra-abdominal pressure.